



28、承插单支盘三通

Socket spigot tee with flanged branch



Main				Branch			Weight (kg)					
DN	e	Lu	J	DN	e1	Lu'	PN10		PN16		PN25	
							T type	K type	T type	K type	T type	K type
80	8.1	85	275	80	8.1	165	14.0	14.7	14.0	14.7	14.0	14.7
100	8.4	85	275	80	8.1	175	16.4	18.7	16.4	18.7	16.4	18.7
		95	285	100	8.4	180	17.8	20.1	17.8	20.1	17.8	20.1
125	8.7	85	275	80	8.1	190	18.7	20.6	18.7	20.6	18.7	20.6
		100	285	100	8.4	195	20.5	22.3	20.3	22.2	20.9	22.8
		110	285	125	8.7	200	21.8	23.7	21.8	23.7	22.4	24.3
150	9.1	85	275	80	8.1	205	23.7	26.1	23.7	26.1	23.7	26.1
		100	285	100	8.4	210	25.4	27.6	25.4	27.6	25.1	27.6
		110	285	125	8.7	215	27.8	30.2	27.7	30.2	27.7	30.2
		130	310	150	9.1	220	30.2	32.7	30.2	32.7	30.2	32.7
200	9.8	90	275	80	8.1	235	32.5	34.5	32.5	34.5	32.5	34.5
		100	280	100	8.4	240	34.3	36.3	34.3	36.3	34.3	36.3
		110	285	125	8.7	240	37.3	39.3	37.3	39.3	37.3	39.3
		130	310	150	9.1	250	40.2	42.2	40.2	42.2	40.2	42.2
250	10.5	150	340	200	9.8	260	46.6	48.6	47.0	49.0	48.5	50.5
		90	315	80	8.1	265	43.4	44.8	43.4	44.8	43.4	44.8
		100	325	100	8.4	270	44.9	46.4	44.9	46.4	45.0	45.8
		115	325	125	8.7	255	51.1	52.6	51.1	52.6	51.7	52.8
		130	360	150	9.1	280	57.3	58.7	67.3	58.7	58.3	59.7
300	11.2	150	385	200	9.8	290	57.9	59.1	57.9	59.1	59.7	61.1
		180	415	250	10.5	300	65.7	67.6	66.7	68.1	70.2	71.1
		90	340	80	8.1	295	58.8	61.1	58.8	61.1	58.8	61.1
		105	355	100	8.4	300	62.1	64.4	62.0	64.3	62.6	64.9
		115	360	125	8.7	285	64.1	66.4	64.1	66.4	64.7	67.0
		130	390	150	9.1	310	70.9	76.3	71.9	76.3	71.9	77.3
350	11.9	160	415	200	9.8	320	77.6	79.9	77.6	79.9	79.4	81.7
		190	445	250	10.5	330	87.3	89.6	87.0	89.3	90.6	92.9
		215	475	300	11.2	340	97.8	100.1	97.9	99.8	112.7	115.0
		95	345	80	8.1	325	68.3	73.3	68.3	73.3	68.3	73.3
		100	355	100	8.4	330	72.7	77.7	72.6	77.6	73.2	78.2
		115	360	125	8.7	315	73.4	78.4	73.4	78.4	74.0	79.0
		135	390	150	9.1	340	85.2	90.2	85.2	90.2	85.2	90.2
		160	415	200	9.8	350	88.7	93.7	88.7	93.7	90.5	95.5
400	12.6	190	445	250	10.5	350	106.0	110.0	116.0	120.0	127.0	131.0
		210	475	300	11.2	350	114.0	122.0	120.0	124.0	131.0	135.0
		240	500	350	11.9	380	121.0	125.5	123.3	128.3	132.0	136.2
		95	355	80	8.1	355	80.9	87.2	80.9	87.2	80.9	87.2
		105	355	100	8.4	360	84.2	89.3	84.2	89.2	84.2	89.8
		115	360	125	8.7	345	92.0	97.0	92.0	97.0	92.0	97.0
		135	390	150	9.1	370	99.8	104.0	99.8	104.0	99.6	104.0
		160	415	200	9.8	380	105.0	109.2	104.0	109.0	106.0	110.8
		190	445	250	10.5	390	120.0	125.0	120.0	125.0	123.0	129.0
		220	475	300	11.2	400	134.0	138.0	133.0	137.0	139.0	143.0
450	13.3	240	500	350	11.9	400	144.0	148.0	146.0	151.0	155.0	160.0
		280	530	400	12.6	420	152.0	158.3	158.5	164.5	167.7	174.0
		95	355	80	8.1	370	97.2	106.2	97.2	106.2	97.2	106.2
		110	355	100	8.4	390	106.0	110.0	107.0	111.0	107.0	111.0
		115	360	125	8.7	405	113.0	117.0	113.0	117.0	115.5	117.0
		135	390	150	9.1	400	141.0	124.0	120.0	123.0	124.0	127.0
		165	415	200	9.8	410	130.0	134.0	130.0	134.0	132.0	136.0
		195	445	250	10.5	420	141.0	145.0	140.0	144.0	144.0	148.0
		220	475	300	11.2	430	156.0	158.0	155.0	158.0	161.0	164.0
		240	500	350	11.9	440	165.0	169.0	168.0	172.0	177.0	181.0
450	13.3	280	530	400	12.6	450	180.0	184.0	185.0	189.0	196.0	200.0
		310	555	450	13.3	460	191.0	195.0	199.0	203.0	215.0	219.0


28、承插单支盘三通
Socket spigot tee with flanged branch



DN	Main			Branch			Weight (kg)					
	e	Lu	J	DN	e1	Lu'	PN10		PN16		PN25	
							T type	K type	T type	K type	T type	K type
500	14	95	355	80	8.1	400	113.1	117.7	113.1	117.7	113.1	117.7
		110	355	100	8.4	420	116.0	121.3	116.0	121.3	116.0	121.8
		120	360	125	8.7	420	127.0	130.7	127.0	130.7	127.0	131.4
		140	390	150	9.1	425	138.0	140.0	138.0	140.0	138.0	141.0
		165	415	200	9.8	440	142.0	146.0	141.0	146.0	143.0	147.8
		190	445	250	10.5	440	165.0	168.0	164.0	167.0	168.0	171.0
		220	475	300	11.2	440	178.0	181.0	178.0	181.0	183.0	186.0
		245	500	350	11.9	450	192.0	194.0	195.0	197.0	203.0	206.0
		280	530	400	12.6	480	198.0	203.4	204.0	209.9	215.0	219.1
		300	555	450	13.3	480	219.0	222.0	227.0	230.0	243.0	245.0
		340	580	500	14.0	500	231.0	237.3	246.0	251.7	258.0	262.1
600	15.4	100	355	80	8.1	460	162.7	162.0	162.7	162.0	163.0	162.0
		100	355	100	8.4	460	166.0	164.0	166.0	164.0	167.0	165.0
		120	360	125	8.7	465	174.5	172.5	174.5	172.5	175.5	173.5
		130	390	150	9.1	470	183.0	181.0	183.0	181.0	184.0	182.0
		170	415	200	9.8	500	184.0	187.8	184.0	187.8	186.0	189.6
		190	445	250	10.5	490	215.0	201.7	215.0	201.3	219.0	205.0
		215	475	300	11.2	500	231.0	228.0	230.0	228.0	235.0	233.0
		245	500	350	11.9	510	247.0	245.0	250.0	248.0	258.0	256.0
		285	530	400	12.6	540	253.0	255.9	258.0	262.4	269.0	271.6
		305	555	450	13.3	530	279.0	277.0	288.0	286.0	303.0	301.0
		335	580	500	14.0	540	299.0	297.0	303.0	301.0	326.0	324.0
		400	635	600	15.4	580	333.5	339.8	359.0	364.8	373.0	377.2
700	16.8	105	345	80	8.1	490	238.0	238.0	238.0	238.0	238.0	240.0
		115	345	100	8.4	490	242.0	243.0	242.0	243.0	243.0	244.0
		125	361	125	8.7	495	244.0	244.0	244.0	244.0	245.0	245.0
		140	370	150	9.1	500	246.0	246.0	246.0	246.0	247.0	247.0
		170	385	200	9.8	525	249.0	249.0	249.0	249.0	251.0	251.0
		195'	430	250	10.5	515	275.0	275.0	275.0	275.0	278.5	279.0
		220	440	300	11.2	520	300.0	301.0	300.0	301.0	306.0	307.0
		250	475	350	11.9	530	312.0	313.0	315.0	316.0	324.0	325.0
		285	495	400	12.6	555	329.0	329.0	338.0	334.0	344.0	345.0
		305	525	450	13.3	545	369.0	370.0	378.0	379.0	391.0	392.0
		340	560	500	14.0	550	391.0	392.0	406.0	407.0	418.0	419.0
		385	595	600	15.4	565	421.0	422.0	445.0	445.0	456.0	457.0
460	690	700	16.8	600	476.0	476.0	487.0	488.0	525.0	525.0		
800	18.2	120	355	80	8.1	550	299.0	290.0	299.0	290.0	299.0	290.0
		130	355	100	8.4	550	304.0	295.0	304.0	295.0	305.0	295.0
		145	371	125	8.7	555	306.0	296.5	306.0	296.5	306.0	297.5
		155	381	150	9.1	560	308.0	298.0	308.0	298.0	309.0	299.0
		175	395	200	9.8	585	311.0	302.0	311.0	301.0	313.0	303.0
		210	441	250	10.5	585	351.0	342.0	351.0	341.0	355.0	346.0
		240	451	300	11.2	585	371.0	362.0	371.0	362.0	377.0	368.0
		265	485	350	11.9	590	388.0	379.0	390.5	381.5	399.0	390.0
		290	505	400	12.6	615	405.0	396.0	410.0	401.0	421.0	412.0
		320	535	450	13.3	615	463.5	454.5	473.5	464.5	485.0	476.0
		345	571	500	14.0	615	522.0	513.0	537.0	528.0	549.0	540.0
		405	605	600	15.4	645	588.0	579.0	612.0	603.0	624.0	614.0
		460	700	700	16.8	655	620.0	626.0	635.0	600.0	669.0	660.0
		520	760	800	18.2	675	640.0	631.0	655.0	646.0	708.0	699.0
900	19.6	120	440	80	8.1	605	356.1	337.1	356.1	337.1	356.1	337.1
		130	450	100	8.4	610	364.9	345.9	364.9	345.9	365.4	346.4
		145	465	125	8.7	615	378.0	359.0	378.0	359.0	378.6	359.6
		155	485	150	9.1	620	391.3	372.3	391.3	372.3	392.2	373.2


28、承插单支盘三通

Socket spigot tee with flanged branch



DN	Main			Branch			Weight (kg)					
	e	Lu	J	DN	e1	Lu'	PN10		PN16		PN25	
							T type	K type	T type	K type	T type	K type
900	19.6	180	515	200	9.8	645	416.5	397.5	416.6	397.6	418.4	399.4
		210	545	250	10.5	645	443.7	424.7	443.4	424.4	447.0	428.0
		240	565	300	11.2	650	467.5	448.5	467.2	448.2	482.4	463.4
		265	600	350	11.9	660	494.1	475.1	496.9	477.9	504.8	485.8
		295	630	400	12.6	675	522.7	503.7	529.2	510.2	538.4	519.4
		320	660	450	13.3	680	547.6	528.6	556.9	537.9	567.3	548.3
		345	700	500	14.0	690	580.3	561.3	594.7	575.7	605.1	586.1
		410	760	600	15.4	705	645.4	626.4	670.4	651.4	682.8	663.8
		460	795	700	16.8	720	699.5	680.5	713.6	694.6	746.1	727.1
		520	855	800	18.2	735	776.4	757.4	794.1	775.1	840.1	821.1
585	905	900	19.6	750	853.2	834.2	874.8	855.8	930.8	911.8		
1000	21	120	450	80	8.1	670	434.6	413.6	434.6	413.6	434.6	413.6
		130	460	100	8.4	670	448.4	426.8	448.4	426.8	448.9	427.3
		145	475	125	8.7	675	463.8	442.2	463.8	442.2	464.4	442.8
		155	495	150	9.1	680	475.8	454.8	475.8	454.8	476.7	455.7
		180	525	200	9.8	705	505.1	484.1	505.2	484.2	607.0	486.0
		210	555	250	10.5	705	536.8	515.8	536.5	515.5	540.1	519.1
		240	575	300	11.2	710	564.2	543.2	563.9	542.9	579.1	558.1
		265	610	350	11.9	720	595.3	574.3	598.1	577.1	606.0	585.0
		295	640	400	12.6	735	628.2	607.2	634.7	613.7	643.9	622.9
		320	670	450	13.3	740	657.1	636.1	666.4	645.4	676.8	655.8
		345	710	500	14.0	750	694.3	673.3	708.7	687.7	719.1	698.1
		410	770	600	15.4	765	768.0	747.0	793.0	772.0	805.4	784.4
		465	805	700	16.8	780	829.7	808.7	843.8	822.8	876.3	855.3
		520	865	800	18.2	795	911.3	890.3	929.0	908.0	975.0	954.0
580	915	900	19.6	810	991.1	970.1	1013	991.7	1069	1048		
645	980	1000	21.0	825	1096	1075	1133	1112	1206	1185		
1100	22.4	120	465	80	8.1	730	528.7	492.3	528.7	492.3	528.7	492.3
		130	475	100	8.4	730	540.6	504.2	540.5	504.1	541.1	504.7
		145	490	125	8.7	735	558.4	522.0	558.4	522.0	559.0	522.3
		155	510	150	9.1	740	576.4	540.0	576.4	540.0	577.4	541.0
		180	540	200	9.8	745	609.4	573.0	609.4	573.0	611.2	574.8
		210	570	250	10.5	755	646.3	609.9	645.9	609.5	649.6	613.2
		240	590	300	11.2	760	677.5	641.1	677.2	640.8	692.4	656.0
		265	625	350	11.9	770	713.2	676.8	716.6	679.6	723.9	687.5
		300	655	400	12.6	795	754.6	718.2	761.1	724.7	770.3	733.9
		345	685	450	13.3	795	787.2	750.8	796.5	760.1	806.9	770.5
		350	725	500	14.0	795	827.6	791.2	842.0	805.6	852.4	816.0
		415	785	600	15.4	825	913.4	877.0	938.4	902.0	950.8	914.4
		470	820	700	16.3	830	978.6	942.2	992.7	956.3	1026	988.8
		525	880	800	18.2	835	1065	1028	1082	1046	1128	1092
		585	930	900	19.6	850	1150	1113	1171	1135	1227	1191
		640	995	1000	21.0	870	1257	1220	1294	1258	1367	1331
695	1045	1100	22.4	880	1359	1323	1399	1361	1481	1445		
1200	23.8	120	500	80	8.1	790	649.9	593.9	649.9	593.9	649.9	593.9
		130	510	100	8.4	790	663.6	607.6	663.5	607.5	664.1	608.1
		145	525	125	8.7	795	684.0	628.0	684.0	628.0	684.6	628.6
		155	545	150	9.1	800	704.7	648.7	704.7	648.7	705.7	649.7
		180	570	200	9.8	805	739.3	683.3	739.3	683.3	741.1	685.1
		210	600	250	10.5	815	781.4	725.4	781.1	725.1	784.7	728.7
		240	630	300	11.2	820	823.5	767.5	823.2	767.2	838.4	782.4
		265	660	350	11.9	830	861.1	805.1	863.9	807.9	871.8	815.8
		295	690	400	12.6	835	902.6	846.6	909.1	853.1	918.3	862.3
		325	720	450	13.3	845	943.9	887.9	953.2	897.2	963.6	907.6


28、承插单支盘三通
Socket spigot tee with flanged branch



Main				Branch			Weight (kg)					
DN	e	Lu	J	DN	e1	Lu'	PN10		PN16		PN25	
							T type	K type	T type	K type	T type	K type
1200	23.8	355	760	500	14.0	850	993.8	937.8	1009	952.2	1019	962.6
		420	820	600	15.4	885	1091	1035	1116	1060	1128	1072
		470	855	700	16.8	885	1159	1103	1173	1117	1205	1149
		535	915	800	18.2	915	1267	1211	1285	1229	1331	1275
		595	965	900	19.6	920	1358	1302	1379	1323	1435	1379
		650	1030	1000	21.0	945	1476	1420	1514	1458	1586	1530
1400	26.6	170	525	80	8.1	870	979.3	833.2	979.3	833.2	979.3	833.2
		210	535	100	8.4	875	1023	876.2	1023	876.1	1023	876.7
		225	550	125	8.7	880	1049	902.4	1049	902.4	1050	903.0
		240	570	150	9.1	880	1079	932.8	1079	932.8	1080	933.7
		270	595	200	9.8	890	1128	981.0	1128	981.1	1129	982.9
		280	625	250	10.5	895	1164	1018	1163	1017	1167	1021
1400	26.6	325	655	300	11.2	905	1230	1084	1229	1083	1245	1099
		355	685	350	11.9	910	1281	1135	1284	1138	1292	1146
		385	715	400	12.6	920	1334	1188	1340	1194	1349	1203
		415	745	450	13.3	925	1385	1239	1394	1248	1405	1259
		440	785	500	14.0	935	1444	1298	1458	1312	1469	1322
		515	845	600	15.4	980	1573	1426	1598	1451	1610	1464
		560	880	700	16.8	990	1652	1506	1666	1520	1698	1552
		630	940	800	18.2	1010	1783	1637	1801	1655	1847	1701
		675	990	900	19.6	1020	1879	1733	1901	1755	1957	1811
		750	1055	1000	21.0	1040	2030	1884	2067	1920	2140	1994
1600	29.4	790	1105	1100	22.4	1045	2136	1990	2174	2028	2258	2112
		850	1170	1200	23.8	1050	2281	2135	2340	2194	2430	2284
		965	1270	1400	26.6	1070	2556	2410	2617	2471	2757	2611
		220	755	80	8.1	1015	1605	1390	1605	1390	1605	1390
		225	755	100	8.4	1075	1612	1397	1612	1397	1612	1397
		260	755	150	9.1	1075	1646	1431	1646	1431	1647	1432
		2590	730	200	9.8	1030	1658	1443	1658	1443	1660	1445
		320	760	250	10.5	1040	1725	1510	1724	1509	1728	1513
		345	790	300	11.2	1045	1786	1571	1785	1570	1801	1586
		405	860	400	12.6	1060	1927	1712	1934	1719	1943	1728
1800	32.2	465	895	500	14.0	1080	2066	1846	2080	1860	2091	1871
		520	915	600	15.4	1090	2121	1906	2146	1931	2158	1943
		640	970	800	18.2	1170	2335	2120	2353	2138	2399	2184
		750	1090	1000	21.0	1150	2622	2407	2659	2444	2732	2517
		870	1210	1200	23.8	1180	2949	2734	3007	2792	3098	2883
		985	1315	1400	26.6	1210	3270	3055	3331	3116	3471	3256
		1100	1430	1600	29.4	1740	3675	3460	3767	3552	3927	3712
		300	730	200	9.8	1150	2040	1816	2041	1816	2042	1818
		320	760	250	10.5	1150	2110	1885	2109	1885	2113	1888
		350	790	300	11.2	1155	2191	1967	2191	1966	2206	1982
2000	35	410	860	400	12.6	1170	2367	2143	2374	2149	2383	2158
		470	915	500	14.0	1185	2516	2291	2530	2306	2541	2316
		525	970	600	15.4	1200	2675	2450	2700	2475	2712	2487
		640	1090	800	18.2	1230	2999	2775	3017	2792	3063	2838
		760	1210	1000	21.0	1260	3348	3124	3386	3162	3459	3234
		875	1315	1200	23.8	1290	3699	3474	3757	3533	3848	3623
		990	1430	1400	26.6	1320	4074	3849	4134	3910	4274	4050
		1110	1540	1600	29.4	1350	4512	4287	4604	4380	4764	4540
		1225	1615	1800	32.2	1380	4919	4692	5030	4805	5247	5022
		300	730	200	9.8	1250	/	2230	/	2230	/	2232
330	760	250	10.5	1260	/	2320	/	2320	/	2324		

28、承插单支盘三通

Socket spigot tee with flanged branch



DN	Main			Branch			Weight (kg)					
	e	Lu	J	DN	e1	Lu'	PN10		PN16		PN25	
							T type	K type	T type	K type	T type	K type
2000	35	360	790	300	11.2	1265	/	2428	/	2428	/	2433
		415	860	400	12.6	1280	/	2621	/	2628	/	2637
		475	915	500	14.0	1295	/	2799	/	2814	/	2824
		530	970	600	15.4	1310	/	2966	/	2991	/	3004
		640	1090	800	18.2	1340	/	3362	/	3380	/	3426
		765	1210	1000	21.0	1370	/	3778	/	3815	/	3888
		880	1315	1200	23.8	1400	/	4180	/	4239	/	4329
		1000	1430	1400	26.6	1430	/	4614	/	4674	/	4814
		1110	1540	1600	29.4	1460	/	5081	/	5174	/	5334
		1230	1615	1800	32.2	1490	/	5519	/	5632	/	5849
2200	37.8	1345	1725	2000	35.0	1520	/	6072	/	6209	/	6531
		310	730	200	9.8	1360	/	2687	/	2687	/	2689
		335	760	250	10.5	1370	/	2795	/	2795	/	2798
		365	790	300	11.2	1380	/	2910	/	2910	/	2925
		420	860	400	12.6	1395	/	3151	/	3157	/	3166
		480	915	500	14.0	1410	/	3361	/	3375	/	3386
		540	970	600	15.4	1420	/	3567	/	3592	/	3605
		655	1090	800	18.2	1445	/	4036	/	4053	/	4099
		770	1210	1000	21.0	1480	/	4500	/	4538	/	4610
		890	1315	1200	23.8	1510	/	4970	/	5028	/	5119
		1000	1430	1400	26.6	1540	/	5443	/	5504	/	5644
		1120	1540	1600	29.4	1570	/	5981	/	6073	/	6233
		1235	1615	1800	32.2	1600	/	6447	/	6560	/	6777
2400	40.6	1350	1725	2000	35.0	1630	/	7036	/	7173	/	7495
		1465	1830	2200	37.8	1660	/	7699	/	7857	/	/
		310	730	200	9.8	1470	/	3285	/	3285	/	3287
		340	760	250	10.5	1480	/	3422	/	3421	/	3425
		370	790	300	11.2	1490	/	3556	/	3556	/	3571
		430	860	400	12.6	1505	/	3848	/	3854	/	3863
		490	915	500	14.0	1520	/	4093	/	4107	/	4118
		545	970	600	15.4	1530	/	4324	/	4349	/	4361
		660	1090	800	18.2	1560	/	4866	/	4883	/	4929
		780	1210	1000	21.0	1590	/	5410	/	5448	/	5521
		895	1315	1200	23.8	1620	/	5932	/	5990	/	6081
		1010	1430	1400	26.6	1650	/	6481	/	6541	/	6681
		1125	1540	1600	29.4	1680	/	7068	/	7161	/	7321
2600	43.4	1240	1640	1800	32.2	1710	/	7578	/	7692	/	7908
		1360	1725	2000	35.0	1740	/	8228	/	8365	/	8687
		1472	1830	2200	37.8	1770	/	8920	/	9078	/	/
		1590	1935	2400	40.6	1800	/	9666	/	9873	/	/
		320	730	200	9.8	1580	/	3378	/	3878	/	3880
		350	760	250	10.5	1590	/	4036	/	4035	/	4039
		380	790	300	11.2	1600	/	4191	/	4191	/	4205
		435	860	400	12.6	1615	/	4514	/	4521	/	4530
		495	915	500	14.0	1630	/	4797	/	4812	/	4822
		550	970	600	15.4	1640	/	5065	/	5090	/	5102
		670	1090	800	18.2	1670	/	5698	/	5716	/	5762
		785	1210	1000	21.0	1700	/	6309	/	6347	/	6419
		900	1315	1200	23.8	1730	/	6899	/	6957	/	7048
1015	1430	1400	26.6	1750	/	7509	/	7570	/	7710		
1130	1540	1600	29.4	1790	/	8172	/	8264	/	8425		
1250	1615	1800	32.2	1820	/	8746	/	8859	/	9076		
1365	1725	2000	35.0	1850	/	9442	/	9579	/	9901		
1480	1830	2200	37.8	1880	/	10191	/	10349	/	/		
1595	1935	2400	40.6	1910	/	10968	/	11175	/	/		
1710	2035	2600	43.4	1940	/	11827	/	12045	/	/		